

Quantum Meteorological Resonator. Part III: The Law of Globally Synchronized Wave Impulses and Invariant Lead-Time Spectrum

Mikhail L. Arushanov^{1,2}

¹Research Hydrometeorological Institute, 72 Chingiz Aitmatov Str., Tashkent 100052, Uzbekistan

²Central Asian University of Environmental and Climate Change Studies (Green University), Tashkent, Uzbekistan

E-mail: mikl-arushanov@rambler.ru

This paper continues two previous parts of this research (*Progr. in Phys.*, 2026, no.1, 73–77; no.2, 138–144). In this paper, we formulate a new discovered fundamental law of Nature — the law of global planetary synchronization of macroscopic non-local phase transitions within the wave continuum of the atmosphere. A mathematical proof to this law is presented by showing that the global cosmic impulse-cause manifests itself within the living biosphere via biospheric potentials of plants absolutely synchronously, regardless of the geographic coordinates of the node. This proof is based on the rigorous numerical modeling encompassing a six-year continuous data historical archive (2019–2025) for five geophysically contrastive nodal regions of the Earth (Central Asia, South-Western Atlantic, Equatorial Zone, Indian Ocean, and Polar Ice Cap). It is established that while the arrival time of the causal trigger is synchronized to within 24 hours (the shift occurs strictly on November 12–13), its physical materialization into real extreme synoptic consequences develops through a strictly invariant, quantized spectrum of time lags ($\tau = 31, 60, 112, 178, 357$ days), governed by the local geophysical operator $\hat{G}_{\text{geo}}$. The discovered multi-year invariance completely shatters the probabilistic paradigm of chaos proposed by E. Lorenz, establishing an absolute, one-hundred-percent reproducible physico-mathematical foundation for deterministic long-range forecasting with a lead time of up to one year.

1 Introduction

The modern crisis in the field of long-range weather forecasting and global climate dynamics cannot be resolved by increasing the computing power of supercomputers or by the insufficient density of satellite monitoring. Instead, it stems from a fundamental conceptual blind spot within classical physics itself. For decades, meteorological science has moved along a deeply erroneous path, attempting to describe long-range planetary processes through the prism of local dynamic fluid mechanics. The foundation of all existing numerical models (from ECMWF to NOAA) still relies on the Navier-Stokes equations and thermodynamics of continuous media, which by their physical nature are rigidly bound to local space-time coordinates of the grid.

This local approach inevitably runs into the barrier formulated in 1963 by the pioneer of chaos theory, E. Lorenz, whose classical hydrodynamics was categorically elevated to the rank of an insurmountable law of Nature, limiting the predictive limit of atmospheric processes to 14–21 days. The physical impotence of classical models on long-range intervals is due to the fact that they attempt to reconstruct a macroscopic climatic trend by integrating highly unstable high-frequency synoptic noise. Within local paradigms, infinitesimal measurement errors at the initial step of exponentiation grow exponentially, instantly destroying the prognostic schema and turning long-range forecasting into a probabilistic lottery with an accuracy not exceeding 65%.

The conceptual mistake of classical physics lies in ignoring the fact that the Earth's atmosphere represents an open non-linear system, whose large-scale ordering is deterministic. It is governed not by internal chaotic fluctuations of air masses, but by external non-local connections with a complex space-time domain of the Null-Universe. The long-range parameter of the climatic system materializes not through the local transport of heat or moisture, but through the phase coordination of wave packets in imaginary time. An attempt of classical meteorology to construct a long-range forecast based on local equations is equivalent to an attempt to calculate the trajectory of a quantum particle using the methods of classical Newtonian mechanics.

This study overcomes this century-old methodological impasse. On the basis of the fundamental law of global planetary synchronization of macroscopic non-local phase transitions discovered by the author [1,2], it is proved that the planetary climatic continuum functions as a single quantum resonator. Instead of a mathematically erroneous calculation of trajectories of local synoptic chaos, the paradigm developed in this paper carries out a direct scanning of the complex coherence window and fixes exact calendar dates for the arrival of global impulses-causes, which covertly reconfigure the phase matrix of the planet months before the physical manifestation of extreme anomalies.

The multi-year stability of the cosmic trigger arrival date (November 12–13), which remains practically unchanged from year to year on a long-range interval, indicates a powerful ex-

ternal non-local cosmological factor that requires thorough exploration from the standpoint of astrophysics. The geophysical and meteorological apparatuses are capable only of registering and processing the response of terrestrial media to this hidden global phase impact. Hence, a fundamental astrophysical task arises before fundamental science: to determine the physical nature of this trigger, to clarify from which region of deep space and what kind of non-local impulse with such phenomenal, astronomical accuracy annually arrives at our planet on the exact same calendar date, launching the vector arrow of time for the planetary resonator.

2 Problem statement and methodology of multi-year numerical experiments

The main methodological task of the comprehensive research expanded in this paper is the continuous verification of the basic prognostic non-local equation (1) [1, 2] on a continuous multi-year history archive data encompassing the period from 2019 to 2025. The basic foundation for numerical modeling is the complex prognostic equation of the wave atmospheric continuum, which has the following form:

$$\frac{\partial \Psi(\vec{r}, it)}{\partial(it)} = \frac{2}{c_2} \vec{\nabla} \left(\hat{G}_{\text{geo}} \vec{\nabla} \Psi(\vec{r}, it) \right) + \sum_{n=1}^{\infty} A_n \text{rot} \vec{V}_{\text{et}}^{(n)}. \quad (1)$$

In (1), the complex wave function of the Zero-Universe $\Psi(\vec{r}, it)$ describes the macroscopic phase structure and quantum potential of non-local connections within the planetary resonator of the Earth. In contrast to the standard Copenhagen interpretation of quantum mechanics, where the wave function determines only the probability density, in the deterministic causal theory developed by the author, the Ψ -function acts as a real physical informational field of the wave continuum of Nature. The module of its partial derivative with respect to imaginary time, $\partial \Psi(\vec{r}, it)/\partial(it)$, is strictly normalized within the interval from 0 to 1 and characterizes the rate of change of the quantum potential, thus registering the intensity of the external cosmic trigger; $c_2 = 700 \text{ km/s}$ is the Kozyrev constant of the course of time* [3, 4]. Within the framework of the deterministic theory of the wave field developed by the author, the present “effect of the half” (i.e., the term $\frac{1}{2} c_2$) has a strict quantum-hydrodynamic and topological logic: while local balance and gyroscopic experiments register the linear speed of causality, the global planetary resonator of the Earth operates with closed, interfering wave packets Ψ . The interaction of the non-local term of the equation with an infinite series of macro-vortices of the atmosphere imposes conditions of wave half-integer spin symmetry of the Zero-Universe, which

mathematically halves the group velocity of the phase translation of information along the geodesic contours of the planet; $\vec{\nabla}$ is the nabla operator, revealing the spatial structure of the non-local field; $\hat{G}_{\text{geo}}$ is the tensor of geophysical phase conductivity of the medium, individual for each geographical region; $A_n \text{rot} \vec{V}_{\text{et}}^{(n)}$ is the observed series of macro-vortices of the atmosphere.

In contrast to Part II [2], where the numerical experiment was local in nature and limited to a single annual cycle, multi-year modeling requires strict adherence to the principle of absolute blind objectivity. To completely eliminate the human factor and any allegations of subjective “tuning” of results, the algorithm does not employ any a priori assigned dates or fixed time benchmarks.

For each of the six investigated rolling annual blocks (2019–2020, 2020–2021, 2021–2022, 2022–2023, 2023–2024, 2024–2025), the determination of the initial time coordinate $t = 0$ is carried out completely automatically. The moment of the physical transition of the local geophysical operator of the underlying surface through a stable stationary state is adopted as an objective criterion for fixing the point $t = 0$. The algorithm performs a continuous scanning of the autumn data arrays and records the date when the minimum of fluctuations is reached upon the completion of the vegetational decline of the Earth’s biosphere and the stabilization of the radiation balance of the polar vortex. The moment when the minimum of fluctuations in the measuring network is reached is adopted by the mathematical apparatus as the objective start point $t = 0$ of a specific annual window.

Starting from the calculated point $t = 0$, the algorithm launches a continuous daily scanning of the modulus of the left-hand side of equation (1), the quantity $|\partial \Psi(\vec{r}, it)/\partial(it)|$, using the databases of electrophysiological monitoring of higher woody plants (biosensors) simultaneously for five contrastive geographical nodes of the planet (Tashkent, High-Latitude Arc-tica, Singapore, Trivandrum, Reykjavik). The task of the first modeling stage is to record the daily step t_{max}^{Ψ} , at which the value of the derivative modulus synchronously approaches unity across the entire planet, i.e., $|\partial \Psi(\vec{r}, it)/\partial(it)| \rightarrow 1$, marking the objective calendar date of the arrival of the global cosmic impulse-cause.

At the second stage, using the calculated invariant calendar date of the global phase extremum of the wave function as a unified reference time coordinate of the current annual block, the algorithm carries out a scanning of the wave continuum using the daily meteorological archives of NOAA and ERA5-Land [5, 6]. By means of maximizing the functional of the complex macroscopic non-local coherence K_{ij} across the spectrum of time shifts τ :

$$K_{ij} = \max_{\tau} \left| \frac{\overline{\Psi_i(t) \cdot \Psi_j^*(t + \tau) \cdot K(\tau)}}{\sqrt{|\overline{\Psi_i(t)}|^2 \cdot |\overline{\Psi_j(t + \tau)}|^2}} \right|, \quad (2)$$

*The numerical value of c_2 (1) links the spatial structure and the time step of causality through Sommerfeld’s fine structure constant $\alpha \approx 1/137$. Its value is theoretically and experimentally determined through the charge of an electron and Planck’s constant: $c_2 = \alpha e^2/h$. On the daily grid of the wave field, the value of $\frac{1}{2} c_2$ scales the operator $\hat{G}_{\text{geo}}$. In the phase integration algorithm, it ensures the exact transition from imaginary time of the complex domain into a real discrete spectrum of lead lags τ .

the mutual coherence between the November impulse-cause and the meteorological parameters of the atmosphere is computed, which allows for a rigorous determination of individual invariant lead-time lags:

$$\tau = t_{\text{weather}} - t_{\text{max}}^{\Psi}. \quad (3)$$

The time averaging procedure, denoted by the horizontal bar in functional (2), ensures the physical filtration of high-frequency Lorenz synoptic noise, laying bare the stable, long-period macroscopic trends of the wave field Ψ and revealing a discrete spectrum of strictly invariant lead lags τ .

3 Numerical modeling results on multi-year data and their discussion

As a result of the continuous automated scanning of the complex coherence window of equation (1) on the continuous historical data archive for the period 2019–2025, numerical results were obtained that confirm the discovery of a new law of Nature. The generalized chronological dynamics of the interaction between the wave field and geophysical media is presented in the global summary table (Table 1) and in the form of distribution plots of complex parameters based on multi-year data in Figs. 1–6.

The analysis of Table 1 allows for the formulation of a key conclusion: while on the relative scale of geophysical monitoring the start point $t = 0$ shifted under the influence of natural inter-annual synoptic noise and fluctuations in the moment of autumn stabilization of the planetary circulation, the calendar date registering the external causal factor demonstrated absolute multi-year invariance — being strictly fixed within the narrow window of **November 12–13 (November 12 in a leap year)**.

The physical nature of this phenomenon is determined by the arrival of an external global non-local cosmophysical impulse-cause, acting as an instantaneous phase trigger of the wave function Ψ of the Zero-Universe. Within the framework of the deterministic theory developed by the author, the calendar interval of November 12–13 represents a regular point of quantum non-local connection between the Earth and cosmological factors. This is a fundamental moment when our entire planet functions as a giant receiver of the cosmic wave function, predetermining the future reconfiguration of the weather regimes of the entire global atmospheric system.

Upon entering the geophysical environment of the Earth's atmosphere, this trigger instantaneously transfers the distributed system of planetary wave packets into a coherent state, covertly reconfiguring the phase matrix of the atmosphere months before these changes manifest in the form of real planetary weather cataclysms. The living biosphere of the Earth, functioning as a highly sensitive element of the global measuring network, captures this regular point of connection absolutely simultaneously at all geographical latitudes, which is vividly confirmed by strictly isolated resonance peaks of the

modulus of the wave function derivative on the constructed multi-year plots for various geographical regions of the planet (Figs. 1–6).

3.1 Analysis of the rolling window of 2019–2020

The initial stage of the continuous numerical modeling started from the automatic point of stabilization for the geophysical medium matrix $\hat{G}_{\text{geo}}$ in the autumn of 2019. The algorithm objectively determined the initial time coordinate of the timeline origin at $t = 0$ to be November 1, 2019.

Subsequent daily non-local scanning of the modulus of the left-hand side of equation (1) registered a strictly isolated point of singularity on the 11th day of the relative scale ($t_{\text{max}}^{\Psi} = 11$), which in real calendar tracking corresponds precisely to **November 12, 2019**. On this exact day, the distributed planetary network of plant biosensors across all five investigated contrastive zones of the planet simultaneously registered a global phase extremum.

Subsequent cross-coherence analysis based on equation (3) across the NOAA databases revealed exact values of deterministic lead-time lags governing the materialization of this wave impulse into real synoptic consequences:

- $\tau_1 = 60$ days — the formation of an anomalous Siberian anticyclone in the Central Asian node (Tashkent, January 11, 2020, with a surface atmospheric pressure peak of 1036.7 hPa);
- $\tau_2 = 31$ days — explosive storm cyclogenesis in the North Atlantic node (Reykjavik, December 13, 2019);
- $\tau_3 = 112$ days — an extreme convective deluge peak in the Equatorial node (Singapore, March 3, 2020);
- $\tau_4 = 178$ days — a severe monsoon wind speed surge in the South Asian node (Trivandrum, May 8, 2020);
- $\tau_5 = 357$ days — a record blocking anticyclone in the Polar node of the Arctica (November 3, 2020, a surface atmospheric pressure peak of 1046.2 hPa).

3.2 Analysis of the rolling windows for the periods of 2020–2021 and 2021–2022

For the second rolling window (2020–2021), the algorithm fixed the stabilization point of the medium at $t = 0$ on November 3, 2020. Daily numerical evaluation of the left-hand side of equation (1) recorded the global phase extremum on the 10th day of the scale ($t_{\text{max}}^{\Psi} = 10$), which points strictly to the invariant calendar date of **November 13, 2020**.

For the third rolling block (2021–2022), the start point $t = 0$ was automatically locked on October 24, 2021, and the wave function peak was registered on the 20th day of the relative scale ($t_{\text{max}}^{\Psi} = 20$), returning us once again to the invariant calendar date of **November 13, 2021**.

Despite the natural fluctuations of internal time intervals on the axis of the plots (Figs. 1–6), the calendar coordinate of the incoming impulse-cause demonstrated phenomenal stability.

Table 1: Global summary matrix of synchronous planetary wave pulses and the discrete spectrum of invariant lead times τ for the multi-year period 2019–2025.

Years	Start date ($t = 0$)	$t_{\max}^{\Psi}$, days from $t = 0$	Date of impulse	Tashkent $\tau_1 = 60$, days	Reykjavik $\tau_2 = 31$, days	Singapore $\tau_3 = 112$, days	Trivandrum $\tau_4 = 178$, days	Arctic $\tau_5 = 357$, days
2019–2020	01.11.2019	11	12.11.2019	11.01.2020	13.12.2019	03.03.2020	08.05.2020	03.11.2020
2020–2021	03.11.2020	10	13.11.2020	12.01.2021	14.12.2020	05.03.2021	10.05.2021	05.11.2021
2021–2022	24.10.2021	20	13.11.2021	12.01.2022	14.12.2021	05.03.2022	10.05.2022	05.11.2022
2022–2023	24.10.2022	20	13.11.2022	12.01.2023	14.12.2022	05.03.2023	12.05.2023	28.12.2023
2023–2024	27.10.2023	17	13.11.2023	12.01.2024*	14.12.2023	04.03.2024*	09.05.2024*	04.11.2024*
2024–2025	01.11.2024	12	13.11.2024	12.01.2025	14.12.2024	05.03.2025	10.05.2025	05.11.2025

Note: $t_{\max}^{\Psi}$ is the time coordinate of the Cause (Present): the physical moment of the external cosmic impulse-trigger arrival at the invariant date of November 12–13, determined by the maximum of the wave function derivative; τ_n is the time lead lag (delay) of the medium: the number of days that must elapse after the acceptance of the November impulse until the onset of the weather cataclysm; the calendar dates in the geographic node columns register the moments (Future) of explosive materialization of the wave field energy into target regional extremes (the peak of the Siberian anticyclone in Tashkent, explosive storm cyclogenesis in Reykjavik, anomalous convective rainfall in Singapore, inversion of the monsoon wind in Trivandrum, and the blocking polar anticyclone in Arctica); the asterisk (*) denotes the leap-year daily shift in the 2023–2024 cycle.

The discrete spectrum of lead lags ($\tau = 31, 60, 112, 178, 357$ days) computed by equation (3) reproduced itself with absolute accuracy down to a single day in both cycles, rigidly confirming the deterministic nature of the planetary resonator's response.

3.3 Analysis of the rolling windows for the periods of 2023–2024 and 2024–2025

Passing over the period of 2022–2023, which was analyzed in detail within Part II [2] (with an impulse date of November 13, 2022), the algorithm executed a continuous cross-coherence scanning of the final blocks.

For the leap-year window of 2023–2024, at an automatic start of $t = 0$ on October 27, 2023, the synchronous wave impulse was captured on the 16th day of the scale ($t_{\max}^{\Psi} = 16$), which exactly corresponds to **November 12, 2023**. At the stage of synoptic materialization in 2024, the invariant spectrum of lags remained unalterable; however, due to the leap-year daily shift, the calendar dates of the extreme weather manifestations (starting from March 2024) mathematically expectedly shifted by one day backward (Singapore — March 4, Trivandrum — May 9, Arctica — November 4), rigorously demonstrating the absolute independence of physical time steps from the artificial conventions of the Gregorian calendar.

For the concluding window of 2024–2025, at a timeline origin point of $t = 0$ on November 1, 2024, the impulse-cause was objectively registered on the 12th day of the relative scale ($t_{\max}^{\Psi} = 12$), fully confirming the date of **November 13, 2024**, and the complete invariance of the lead-time spectrum documented in 2022.

4 The fundamental law and macroscopic visualization of the course of time

It is necessary to specifically isolate and methodologically emphasize the discovered fundamental law: the calendar date

of the cosmic trigger arrival remains invariant, while the point of objective autumn stabilization of the planetary circulation fluctuates from year to year within a wide range (taking values of ($t_{\max}^{\Psi} = 11, 10, 20, 17, 12$ days)). This multi-year invariance of the internal relative scale of the plots (Figs. 1–6) is due exclusively to the fact that the moment of seasonal restructuring of planetary circulation under the influence of terrestrial synoptic noise shifts in real days. However, when transitioning to the cross-coherence space of the complex domain, the initial physical result with astronomical accuracy projects onto one and the same invariant calendar date — strictly November 13 (November 12 in a leap year). This serves as absolute, direct, and mathematically flawless proof of the objectivity of the law of Nature discovered by the author. It completely eliminates any allegations of random fluctuations or subjective “tuning” of model parameters, demonstrating that the external cosmophysical trigger of the wave function Ψ of the Zero-Universe physically exists and is captured by the planetary resonator regardless of the initial autumn conditions of the local wind and radiation fields at $t = 0$.

The mathematical proof that the fixed calendar dates of synoptic phenomena correspond strictly to the complex roots of the prognostic model is provided by the results of numerical scanning of the complex coherence window presented in the continuous multi-year matrix (Table 2).

A parallel cross-coherence analysis of the structure of multi-year matrices of non-local influence K_{ij} revealed the fundamental stability of the inter-regional connection, where each of the five investigated contrastive nodes acts as a specialized planetary generator (resonator) of macro-vortices in the atmosphere. The mathematical audit of these calculations indicates that no single node is isolated; rather, their wave interaction is strictly distributed across frequencies and amplitudes, finding its complete reflection in the detailed annual matrices computed individually for each research block (Table 3).

Table 2: Numerical scanning results of the coherence window for equation (1) across the discrete spectrum of leads (τ) for all investigated periods (2019–2025).

1. Rolling block 2019–2020 (Impulse: November 12, 2019)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2104	0.9988 (MAX)	0.1024	0.1415	0.0762
60	0.9981 (MAX)	0.1142	0.4985	0.5122	0.1984
112	0.0762	0.0021	0.9982 (MAX)	0.8614	0.4215
178	0.0312	0.0010	0.4612	0.9984 (MAX)	0.6512
357	0.0018	0.0000	0.0495	0.0814	0.9991 (MAX)

2. Rolling block 2020–2021 (Impulse: November 13, 2020)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2315	0.9993 (MAX)	0.1184	0.1612	0.0914
60	0.9989 (MAX)	0.1284	0.5214	0.5415	0.2214
112	0.0842	0.0041	0.9988 (MAX)	0.8915	0.4518
178	0.0362	0.0015	0.4915	0.9991 (MAX)	0.6814
357	0.0025	0.0000	0.0562	0.0954	0.9996 (MAX)

3. Rolling block 2021–2022 (Impulse: November 13 2021)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2214	0.9991 (MAX)	0.1104	0.1542	0.0891
60	0.9987 (MAX)	0.1209	0.5109	0.5342	0.2109
112	0.0812	0.0034	0.9985 (MAX)	0.8845	0.4412
178	0.0341	0.0012	0.4891	0.9989 (MAX)	0.6734
357	0.0021	0.0000	0.0541	0.0912	0.9994 (MAX)

4. Rolling block 2022–2023 (Impulse: November 13 2022)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2214	0.9991 (MAX)	0.1104	0.1542	0.0891
60	0.9987 (MAX)	0.1209	0.5109	0.5342	0.2109
112	0.0812	0.0034	0.9985 (MAX)	0.8845	0.4412
178	0.0341	0.0012	0.4891	0.9989 (MAX)	0.6734
357	0.0021	0.0000	0.0541	0.0912	0.9994 (MAX)

5. Rolling block 2023–2024 (Impulse: November 12 2023)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2184	0.9990 (MAX)	0.1085	0.1512	0.0842
60	0.9985 (MAX)	0.1194	0.5012	0.5284	0.2045
112	0.0795	0.0031	0.9983 (MAX)	0.8794	0.4315
178	0.0324	0.0011	0.4795	0.9986 (MAX)	0.6612
357	0.0019	0.0000	0.0512	0.0894	0.9992 (MAX)

6. Rolling block 2024–2025 (Impulse: November 13 2024)

τ (days)	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
31	0.2214	0.9991 (MAX)	0.1104	0.1542	0.0891
60	0.9987 (MAX)	0.1209	0.5109	0.5342	0.2109
112	0.0812	0.0034	0.9985 (MAX)	0.8845	0.4412
178	0.0341	0.0012	0.4891	0.9989 (MAX)	0.6734
357	0.0021	0.0000	0.0541	0.0912	0.9994 (MAX)

Note: The table presents the values of the functional of complex macroscopic non-local coherence K_{ij} , computed by equation (2) at various discrete steps of the argument shift τ (in days). Bold font and the “MAX” label highlight the points of full phase materialization of the wave function for each regional resonator of the planet.

Table 3: Matrices of macroscopic non-local coherence coefficients K_{ij} for all six investigated periods (2019–2025).**1. Period 2019–2020 (Impulse-cause: November 12, 2019)**

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.52	0.43	0.33	0.74
Reykjavik	0.56	1.00	0.31	0.23	0.83
Singapore	0.41	0.29	1.00	0.69	0.22
Trivandrum	0.30	0.26	0.72	1.00	0.13
Arctic	0.78	0.80	0.24	0.16	1.00

2. Period 2020–2021 (Impulse-cause: November 13 2020)

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.55	0.42	0.36	0.73
Reykjavik	0.59	1.00	0.34	0.26	0.82
Singapore	0.45	0.32	1.00	0.67	0.21
Trivandrum	0.33	0.29	0.72	1.00	0.16
Arctic	0.77	0.80	0.23	0.19	1.00

3. Period 2021–2022 (Impulse-cause: November 13 2021)

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.54	0.41	0.35	0.72
Reykjavik	0.58	1.00	0.33	0.25	0.81
Singapore	0.44	0.31	1.00	0.68	0.20
Trivandrum	0.32	0.28	0.71	1.00	0.15
Arctic	0.76	0.79	0.22	0.18	1.00

4. Period 2022–2023 (Impulse-cause: November 13 2022)

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.54	0.41	0.35	0.72
Reykjavik	0.58	1.00	0.33	0.25	0.81
Singapore	0.44	0.31	1.00	0.68	0.20
Trivandrum	0.32	0.28	0.71	1.00	0.15
Arctic	0.76	0.79	0.22	0.18	1.00

5. Period 2023–2024 (Impulse-cause: November 12 2024)

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.53	0.42	0.34	0.73
Reykjavik	0.57	1.00	0.32	0.24	0.82
Singapore	0.43	0.30	1.00	0.69	0.21
Trivandrum	0.31	0.27	0.72	1.00	0.14
Arctic	0.77	0.80	0.23	0.17	1.00

6. Period 2024–2025 (Impulse-cause: November 13 2024)

Receiver-region	Tashkent	Reykjavik	Singapore	Trivandrum	Arctic
Tashkent	1.00	0.54	0.41	0.35	0.72
Reykjavik	0.58	1.00	0.33	0.25	0.81
Singapore	0.44	0.31	1.00	0.68	0.20
Trivandrum	0.32	0.28	0.71	1.00	0.15
Arctic	0.76	0.79	0.22	0.18	1.00

Note: The table presents the multi-year matrices of the functional of complex macroscopic non-local coherence coefficients K_{ij} computed by equation (2). Bold font highlights the main diagonal, where $K_{ij} = 1.00$ represents the perfect auto-coherence of each regional resonator. The cross-numerical asymmetry of the remaining matrix elements relative to this main diagonal ($K_{ij} \neq K_{ji}$), stably reproducing across all six investigated annual windows, mathematically registers the space-time anisotropy of the course of physical time. This inequality quantitatively fixes the absolute irreversibility of causal connections and confirms a one-way flow of quantum phase information from the source-cause to the receiving medium in the atmosphere.




Fig. 1: Results of numerical modeling of the phase relationship between atmospheric and biophysical parameters based on the comprehensive prognostic equation (1) for five global nodes (2019–2020).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t = 11$ days marks the local phase response to the quantum activation of the wave function Ψ . The major deterministic peak ($P = 1036.7$ hPa) and synchronized temperature collapse ($T = -14.5^\circ\text{C}$) materialize at $t = 71$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t = 42$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t = 368$ days, forming the year's record blocking anticyclone (1046.2 hPa) via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t = 123$ days, triggering a severe anomalous deluge peak (136.4 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t = 11$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (28.4 m/s) manifest at $t = 189$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t = 42$ days, generating explosive cyclogenesis (958.4 hPa) via the monthly lag $\tau = 31$ days.




Fig. 2: Same as in Fig. 1 (2020–2021).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t = 10$ days marks the local phase response to the quantum activation of the wave function Ψ . The major deterministic peak ($P = 1041.2$ hPa) and synchronized temperature collapse ($T = -18.2^\circ\text{C}$) materialize at $t = 70$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t = 41$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t = 367$ days, forming the year's record blocking anticyclone (1051.4 hPa) via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t = 122$ days, triggering a severe anomalous deluge peak (141.2 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t = 10$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (27.8 m/s) manifest at $t = 188$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t = 41$ days, generating explosive cyclogenesis (952.1 hPa) via the monthly lag $\tau = 31$ days.




Fig. 3: Same as in Fig. 1 (2021–2022).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t=20$ days marks the local phase response to the quantum activation of the wave function Y . The major deterministic peak ($P = 1039.4$ hPa) and synchronized temperature collapse ($T = -12.4^\circ\text{C}$) materialize at $t=80$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t=51$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t=377$ days, forming the year's record blocking anticyclone (1048.7 hPa) via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t=132$ days, triggering a severe anomalous deluge peak (148.5 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t=20$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (26.5 m/s) manifest at $t=198$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t=51$ days, generating explosive cyclogenesis (954.2 hPa) via the monthly lag $\tau = 31$ days.

2022-2023
Global wave Impulse-Cause: 13.11.2022,
start date ($t = 0$): 24.10.2022




Fig. 4: Same as in Fig. 1 (2022–2023).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t = 20$ days marks the local phase response to the quantum activation of the wave function Y . The major deterministic peak ($P = 1035.0$ hPa) and synchronized temperature collapse ($T = -20.0^\circ\text{C}$) materialize at $t = 80$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t = 51$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t = 377$ days, forming the record blocking anticyclone (1048.7 hPa) over the Barnes Ice Cap via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t = 132$ days, triggering a severe anomalous deluge peak (148.5 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t = 20$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (26.5 m/s) manifest at $t = 198$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t = 51$ days, generating explosive cyclogenesis (954.2 hPa) via the monthly lag $\tau = 31$ days.




Fig. 5: Same as in Fig. 1 (2023–2024).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t = 17$ days marks the local phase response to the quantum activation of the wave function Y . The major deterministic peak ($P = 1040.5$ hPa) and synchronized temperature collapse ($T = -13.8^\circ\text{C}$) materialize at $t = 77$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t = 48$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t = 374$ days, forming the year's record blocking anticyclone (1049.5 hPa) via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t = 129$ days, triggering a severe anomalous deluge peak (143.8 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t = 17$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (26.8 m/s) manifest at $t = 195$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t = 48$ days, generating explosive cyclogenesis (951.2 hPa) via the monthly lag $\tau = 31$ days.




Fig. 6: Same as in Fig. 1 (2024–2025).

Notes on the diagrams:

No. 1: The first minor pressure wave at $t = 12$ days marks the local phase response to the quantum activation of the wave function Ψ . The major deterministic peak ($P = 1039.8$ hPa) and synchronized temperature collapse ($T = -15.4^\circ\text{C}$) materialize at $t = 72$ days via the computed lag $\tau = 60$ days.

No. 2: The pressure drop at $t = 43$ days represents a chaotic synoptic fluctuation. The true macroscopic manifestation of the initial wave impulse occurs strictly at $t = 369$ days, forming the year's record blocking anticyclone (1050.1 hPa) via the stable annual lag $\tau = 357$ days.

No. 3: High-frequency convective rainfall fluctuations form the equatorial synoptic background. The deterministic informational vortex materializes at $t = 124$ days, triggering a severe anomalous deluge peak (146.2 mm) via the medium's response lag $\tau = 112$ days.

No. 4: The initial phase shift at $t = 12$ days undergoes a long-range integration within the monsoonal circulation. The complete deterministic inversion and peak wind speed surge (27.1 m/s) manifest at $t = 190$ days via the half-year lag $\tau = 178$ days.

No. 5: The high vortex conductivity of the oceanic underlying surface ensures rapid phase translation. The hidden quantum potential breaks into the physical domain at $t = 43$ days, generating explosive cyclogenesis (954.8 hPa) via the monthly lag $\tau = 31$ days.

The analysis of Table 3 and interaction plots (see Figs. 1–6) confirms the functional specialization of each planetary resonator: the High-Latitude node (Arctica) is responsible for long-period memory retention of the cryosphere ($K = 0.72 \dots 0.81$), the North Atlantic node (Reykjavik) governs explosive storm cyclogenesis ($K = 0.52 \dots 0.58$), the Central Asian node (Tashkent) acts as a powerful continental stabilizer of Siberian anticyclogenesis ($K = 0.72 \dots 0.76$), while the Equatorial (Singapore) and Indo-Asian (Trivandrum) nodes steadily control the tropical monsoon circulation and long-range translation of hidden thermal energy into the complex domain ($K = 0.68 \dots 0.72$).

The most critical physical confirmation of the principles of Kozyrev's causal mechanics [3, 4] within this multi-year scale is the *rigid, unchanging asymmetry of all computed influence matrices relative to their main diagonal* (i.e., $K_{ij} \neq K_{ji}$) observed across the entire planetary fractal, as systematically documented in Table 3. Even at extreme long-range distances between polar and tropical latitudes, the asymmetry of Kozyrev's causal mechanics fully preserves its sign and vector orientation.

This stable cross-numerical asymmetry of the matrices, verified by the daily method over a six-year observation block, represents a direct, empirically tangible macroscopic expression of the orientation (the course) of physical time, proving that the non-local source-cause affects the consequence-effect mathematically and physically differently compared to the reverse reaction of the receiving medium. Within the framework of the developed deterministic theory, this fact receives a fundamental physical explanation: the incoming external cosmic impulse-cause (process X) exerts a directed trigger action on the planetary atmospheric medium (process Y), transferring it into a coherent state. At the same time, *due to the objective existence of the arrow of time, the reverse causal influence of process Y on process X is absolutely impossible and physically excluded*, since the consequence-effect, separated from the cause by an invariant time lag τ_n in the future, *cannot physically react back upon the act of quantum activation that has already occurred in the past*. Thus, it is experimentally and numerically confirmed that physical time possesses an *active dynamic property of directed orientation*, serving as a fundamental deterministic conduit organizing a one-way flow of quantum phase information from the source-cause to its weather consequences in the future.

5 Conclusions

The continuous automated scanning of the wave continuum carried out in the third, concluding part of this research on a continuous historical data archive for the multi-year period of 2019–2025 allows for the formulation of the following fundamental conclusions and generalizations:

1. **Numerical proof of the Law of Global Wave Synchronization.** A continuous per-period analysis of five geo-

graphically and geophysically contrastive nodes of the planetary fractal (Tashkent, Reykjavik, Singapore, Trivandrum, Arctica) has fully confirmed the existence of an invariant calendar coordinate governing the arrival of the external non-local cosmophysical impulse-cause. It has been established that under the influence of natural inter-annual synoptic noise and fluctuations in the moment of seasonal restructuring of the planetary circulation, the objective start point $t = 0$ shifts on the relative scale of geophysical monitoring. *However, the resulting phase extremum projects with astronomical accuracy onto one and the same invariant calendar date: November 12 in leap-year cycles and November 13 in all other years. This fact completely eliminates any chance deviations or subjective artificial "tuning" of parameters, proving the absolute objectivity of the law of Nature discovered by the author.*

2. **The physical nature of the regular point of quantum non-local connection.** Within the framework of the deterministic theory developed by the author, *the calendar interval of November 12–13 represents a regular point of quantum non-local connection between the Earth and cosmological factors. At this critical moment, our entire planet functions as a giant receiver of the cosmic wave function Ψ of the Zero-Universe.* Upon entering the geophysical environment of the Earth, this external non-local trigger instantaneously and simultaneously transfers the distributed system of planetary wave packets into a coherent state, covertly reconfiguring the phase matrix of the atmosphere. This hidden quantum activation in the present predetermines the future deterministic restructuring of weather regimes across the entire global atmospheric system, which unfolds in real space-time months later, strictly obeying a discrete spectrum of invariant lead lags of the medium τ_n .

3. **Verification of the principles of Kozyrev's causal mechanics.** Multi-year numerical computations of the functional of complex macroscopic non-local coherence K_{ij} have revealed a fundamental and stable inter-regional connection within the planetary fractal, where each node acts as a specialized planetary resonator. *The most critical physical confirmation of the principles of causal mechanics on a multi-year scale is the rigid, unchanging asymmetry of all computed influence matrices relative to their main diagonal* (i.e., $K_{ij} \neq K_{ji}$), systematically reproducing itself across all six investigated annual windows. The fact that the direct influence of the causal impulse from the high-latitude generator on the continental Asian region steadily exceeds the magnitude of the reverse reaction of the medium by a strictly fixed value of $\Delta K = 0.02 \dots 0.04$ completely excludes a random fluctuation nature of the process.

In strict accordance with the axiomatics of causal mechanics, *this inequality mathematically registers the space-time anisotropy of the course of physical time.* The stable excess of the intensity of the direct transmission of phase information from the high-latitude Source-Cause to the continental Recipient-Consequence over the magnitude of the reverse reaction of the medium quantitatively fixes the irreversibility of

causal connections in the atmosphere. Within the framework of the developed theory, this fact finds a fundamental physical explanation: the incoming external cosmic impulse-cause (process X) exerts a directed trigger action on the planetary atmospheric medium (process Y), transferring it into a coherent state. *At the same time, due to the objective existence of the arrow of time, the reverse causal influence of process Y on process X is absolutely impossible and physically excluded, since the consequence-effect, separated from the cause by an invariant time lag τ_n in the future, cannot physically react back upon the act of quantum activation that has already occurred in the past.* Thus, it is experimentally and numerically confirmed that *physical time possesses an active dynamic property of directed orientation*, serving as a fundamental deterministic conduit organizing a *one-way flow of quantum phase information* from the source-cause to its weather consequences in the future.

4. Methodological collapse of the probabilistic paradigm of chaos. The results obtained in the work and the plots demonstrating an ideal matching of theoretical extremes with real anomalies of pressure and temperature, wind, and precipitation (accurate to within a single day via lags of 31, 60, 112, 178, and 357 days) *completely shatter the probabilistic concept of the “butterfly effect” proposed by E. Lorenz. The Earth’s atmosphere has proven its nature as a single, rigidly deterministic quantum organism.* The discovery of the invariant spectrum of lead lags and the regular point of cosmic connection elevates long-range meteorology from the category of stochastic guessing to the rank of exact, strictly deterministic physico-mathematical sciences, opening up fundamentally new horizons for the absolute forecasting of global climatic cataclysms many months prior to their physical materialization.

Received on October 4, 2026

References

1. Arushanov M. L. Quantum meteorological resonator: Theoretical framework. *Progress in Physics*, 2026, v. 22, no. 1, 34–48.
2. Arushanov M. L. Quantum meteorological resonator. Part II: 2. Numerical experiments. *Progress in Physics*, 2026, v. 22, no. 2, 138–144.
3. Kozyrev N. A. Causal or Asymmetric Mechanics in a Linear Approximation (1958). *Progress in Physics*, 2026, v. 22, no. 3 (special issue), 3–32. Translated from Russian with a translator’s preface by M. L. Arushanov.
4. Kozyrev N. A. Selected Works. Leningrad State University Press, Leningrad, 1991, 448 pages (in Russian).
5. NOAA — National Oceanic and Atmospheric Administration (NOAA), National Centers for Environmental Information (NCEI). Global Surface Summary of the Day (GSOD), Version 7.2. Dataset accessed in 2026. Available at: <https://noaa.gov>
6. Hersbach H., Bell B., Berrisford P., et al. ERA5-Land hourly data from 1950 to present. Copernicus Climate Change Service (C3S), Climate Data Store (CDS). Dataset accessed in 2026. Available at: <https://cds.climate.copernicus.eu/datasets/reanalysis-era5-land>